


FENDT

fendt.com | Fendt is a worldwide brand of AGCO.



SMART TECHNOLOGY, SMART SIZED.
The All New Fendt® 200 Series.



The Fendt 200V Specialty Edition



FENDT 200 VARIO SERIES

	209V	210V	211V
Max Power (HP / kW) ECE R 120	94 / 69	104 / 77	114 / 84
Dynamic Performance (HP / kW) ECE R 120	N/A		124 / 91
Transmission Speed – MPH / KPH	VarioCVT – 25 / 40		
Hydraulic Capacity – GPM / LPM	Standard – 19.8 / 75 Optional – 31.4 / 119		
Unladen Weight – LBS. / KG	6,790 / 3,080		6,812 / 3,090
Max Ballast – LBS. / KG	10,582 / 4,800		
Front Track Width – IN / MM	33.5 / 852		
Rear Track Width – IN / MM	32.7 / 831		33.7 / 857
Min. Outer Width – IN / MM	42.1 / 1,070		
Overall Width – IN / MM	45.3 / 1,151		47.9 / 1,217
Overall Length – IN / MM	146 / 3,708		
Overall Height – IN / MM	94.5 / 2,400		
Max Ground Clearance – IN / MM	10.5 / 266		
Wheelbase – IN / MM	90.2 / 2,290		

The V Edition is the smart choice for those seeking the very best comfort, innovation, and efficiency in a smart size. The V Edition is the perfect fit for your vineyard application.

The Fendt 200F Specialty Edition

	209F	210F	211F
Max Power (HP / kW) ECE R 120	94 / 69	104 / 77	114 / 84
Dynamic Performance (HP / kW) ECE R 120	N/A		124 / 91
Transmission Speed – MPH / KPH	VarioCVT – 25 / 40		
Hydraulic Capacity – GPM / LPM	Standard – 19.8 / 75 Optional – 31.4 / 119		
Unladen Weight – LBS. / KG	6,790 / 3,080		6,812 / 3,090
Max Ballast – LBS. / KG	10,582 / 4,800		
Front Track Width – IN / MM	41.9 / 1,064		
Rear Track Width – IN / MM	39.4 / 1,000		
Min. Outer Width – IN / MM	52 / 1,320		
Overall Width – IN / MM	53.8 / 1,367		
Overall Length – IN / MM	150.1 / 3,813		
Overall Height – IN / MM	97.2 / 2,470		
Max Ground Clearance – IN / MM	12.7 / 323		
Wheelbase – IN / MM	90.2 / 2,290		

Achieve next level efficiency in orchard or fruit yard applications with the premium innovation of the Fendt 200F Specialty Edition.



The Fendt 200P Specialty Edition

FENDT 200 VARIO SERIES



	209P	210P	211P
Max Power (HP / kW) ECE R 120	94 / 69	104 / 77	114 / 84
Dynamic Performance (HP / kW) ECE R 120	N/A		124 / 91
Transmission Speed – MPH / KPH	VarioCVT – 25 / 40		
Hydraulic Capacity – GPM / LPM	Standard – 19.8 / 75 Optional – 31.4 / 119		
Unladen Weight – LBS. / KG	6,790 / 3,080		6,812 / 3,090
Max Ballast – LBS. / KG	10,582 / 4,800		
Front Track Width – IN / MM	47.7 / 1,212		
Rear Track Width – IN / MM	50.7 / 1,288		
Min. Outer Width – IN / MM	62.2 / 1,580		
Overall Width – IN / MM	66.1 / 1,680		67.7 / 1,720
Overall Length – IN / MM	150.8 / 3,831		
Overall Height – IN / MM	98.4 / 2,500		
Max Ground Clearance – IN / MM	12.5 / 318		
Wheelbase – IN / MM	90.2 / 2,290		

The all new 200P Specialty Edition delivers unparalleled comfort, innovation, and technology in a highly capable package.

The Fendt 200S Series

	209	210	211
Max Power (HP / kW) ECE R 120	94 / 69	104 / 77	114 / 84
Dynamic Performance (HP / kW) ECE R 120	N/A		124 / 91
Transmission Speed – MPH / KPH	VarioCVT – 25 / 40		
Hydraulic Capacity – GPM / LPM	Standard – 19.8 / 75 Optional – 27.5 / 104		
Unladen Weight – LBS. / KG	9,304 / 4,220		9,436 / 4,280
Max Ballast – LBS. / KG	16,535 / 7,500		
Front Track Width – IN / MM	66.5 / 1,690		
Rear Track Width – IN / MM	65.4 / 1,660		
Overall Width – IN / MM	85.4 / 2,170		86.1 / 2,186
Overall Length – IN / MM	162.2 / 4,119		
Overall Height – IN / MM	103.2 / 2,620		
Max Ground Clearance – IN / MM	18.7 / 475		
Wheelbase – IN / MM	93.3 / 2,370		

Your all purpose solution in an all new smart size.
The Fendt 200 series delivers big results no matter
the application.



The Fendt 200 Series



The FendtONE™ cab allows you to customize both display and control settings to maximize your operating experience. Tailor your Fendt 200 Series by selecting the package that suits your operation. V, F, P Edition cab pictured here.

The FendtONE cab allows you to customize both display and control settings to maximize your operating experience. Tailor your Fendt 200 Series by selecting the package that suits your operation. S Edition cab pictured here.



The heart and soul of every Fendt tractor is its Vario® CVT transmission. The stepless Vario CVT, with no clutch packs, optimizes engine power and fuel economy, with seamless travel from 65 ft/h to 25 mph. Operate in either joystick or pedal mode for the ultimate driving experience.



Like all Fendt tractors, your Fendt 200 Series comes standard with Gold Star Customer Care. A 3 year or 3,000 hour full machine warranty, PLUS all scheduled maintenance, 5 years of Fendt Connect™ advanced telematics, and a loaner guarantee.

FENDT

fendt.com | Fendt is a worldwide brand of AGCO.



FENDT 200 VARIO SERIES

 **AGCO**
Your Agriculture Company | **AGCO ANSWERS**
(877) 525-4384 AGCOanswers@AGCOcorp.com

AGCO may at any time, and from time to time, for technical or other necessary reasons, modify any of the data, specifications or warranty of the products described herein. Some equipment shown may be optional. Attention: Photographs in this publication may show protective shields and guards open or removed for the purposes of illustration. Be certain all shields and guards are in place during operation.

© 2023 AGCO Corporation. Fendt is a worldwide brand of AGCO Corporation. AGCO®, Fendt®, and Vario® are registered trademarks of AGCO. FendtONE™ and Fendt Connect™ are trademarks of AGCO. All rights reserved. FT23B002AG